

Metal Results 2016

Sample Location	Date Sampled	Arsenic	Copper	Lead	Iron	Manganese
		mg/L	mg/L	mg/L	mg/L	mg/L
Nominal Detection Limit		0.0002	0.001	0.0001	0.005	0.001
Guideline Limit		0.0100	1	0.01	0.3	0.05
13700 Blk. Malabar Avenue	14-Jan-16	0.0065	0.003	0.0001	<0.005	0.026
Well #1	19-Jan-16	0.0070	0.0010	0.0016	0.1030	0.0630
Well #2	19-Jan-16	0.0049	0.0020	<0.0001	0.00380	0.0040
Well #3	19-Jan-16	0.0066	<0.001	<0.0001	<0.005	0.1990
Well #4	19-Jan-16	0.0034	<0.001	0.0005	0.6880	0.1750
Well #6	19-Jan-16	0.0094	<0.001	0.0002	<0.005	0.1440
Well #5	20-Jan-16	0.0015	0.0050	0.0004	<0.005	0.0120
Well #7	20-Jan-16	0.0083	<0.001	0.0002	<0.005	0.1070
Well #7	5-Feb-16				<0.01	0.0960
Well #6	10-Feb-16	0.0091	Monthly Merklin Arsenic Sampling			
Well #7	10-Feb-16	0.0083				
Well #6	29-Mar-16	0.0091	Monthly Merklin Arsenic Sampling			
Well #7	29-Mar-16	0.0082				
15900 Blk. Prospect Crescent	14-Apr-16	0.0082	0.0040	0.0005	<0.005	0.107
Well #1	26-Apr-16	0.0077	<0.001	0.0003	0.0090	0.0520
Well #2	26-Apr-16	0.0050	0.0090	<0.0001	<0.005	0.0060
Well #3	26-Apr-16	0.0068	<0.001	<0.0001	<0.005	0.1860
Well #5	26-Apr-16	0.0088	0.0020	<0.0001	<0.005	0.0100
Well #6	26-Apr-16	0.0106	<0.001	<0.0001	<0.005	0.1360
Well #7	26-Apr-16	0.0091	<0.001	<0.0001	<0.005	0.1100

Metal Results 2016

Sample Location	Date Sampled	Arsenic	Copper	Lead	Iron	Manganese
		mg/L	mg/L	mg/L	mg/L	mg/L
Nominal Detection Limit		0.0002	0.001	0.0001	0.005	0.001
Guideline Limit		0.0100	1	0.01	0.3	0.05
Well #6	2-May-16	0.0108	Monthly Merklin Arsenic Sampling			
Well #6 (Retest)	3-May-16	0.0107				
Everall St. Sample Station	10-May-16	0.0065	0.001	0.0003	<0.005	0.0890
Main Shop (Buena Vista)	10-May-16	0.0095	0.011	0.0002	<0.005	0.009
Malabar Sample Station	11-May-16	0.0066	0.002	<0.0001	<0.005	0.015
Marine Dr. Sample Station	11-May-16	0.0066	0.004	0.0002	0.005	0.006
Merklin Low Reservoir	10-May-16	0.0095	<0.001	<0.0001	<0.005	0.119
Roper PVR - Low Zone	10-May-16	0.0093	0.001	<0.0001	<0.005	0.111
Russell Ave Sample Station	10-May-16	0.0092	0.001	0.0009	<0.005	0.109
Stayte St. Sampling Station	11-May-16	0.0090	0.005	<0.0001	0.010	0.004
Stevens Sample Station	11-May-16	0.0097	0.003	<0.0001	0.008	0.112
City Washroom	11-May-16	0.0092	0.055	<0.0001	0.014	0.004
Well #7	21-Jun-16	0.0099	Monthly Merklin Arsenic Sampling			
14100 Blk Marine Drive	28-Jun-16	0.0051	0.003	<0.0001	<0.005	0.009
Everall Station	28-Jun-16	0.0064	0.002	0.0003	<0.005	0.070
Main Shop	28-Jun-16	0.0105	0.009	0.0002	0.007	0.009
Mann Park Station	29-Jun-16	0.0061	0.014	0.0005	<0.005	0.023
Marine Drive Station	29-Jun-16	0.0061	0.005	0.0005	<0.005	0.006
Roper Station	28-Jun-16	0.0088	<0.001	<0.0001	<0.005	0.104
Roper PRV Station Low	28-Jun-16	0.0088	<0.001	<0.0001	<0.005	0.104
Russell Station	28-Jun-16	0.0058	0.004	0.0004	<0.005	0.036
Stevens Station	29-Jun-16	0.0094	0.003	<0.0001	<0.005	0.123
City Washrooms	29-Jun-16	0.0089	0.020	0.0002	0.009	0.031
Merklin Low Reservoir	30-Jun-16	0.0107	<0.001	<0.0001	<0.005	0.128
Well #6	30-Jun-16	0.0101	Monthly Merklin Arsenic Sampling			

Metal Results 2016

Sample Location	Date Sampled	Arsenic	Copper	Lead	Iron	Manganese
		mg/L	mg/L	mg/L	mg/L	mg/L
Nominal Detection Limit		0.0002	0.001	0.0001	0.005	0.001
Guideline Limit		0.0100	1	0.01	0.3	0.05
Well #6	4-Jul-16	0.0103	Monthly Merklin Arsenic Sampling			
Well #1	28-Jul-16	0.0076	0.005	0.0006	0.020	0.080
Well #2	28-Jul-16	0.0054	<0.001	<0.0001	0.200	0.002
Well #3	28-Jul-16	0.0068	<0.001	<0.0001	0.005	0.185
Well #4	28-Jul-16	0.0023	<0.001	<0.0001	0.053	0.202
Well #5	28-Jul-16	0.0088	0.004	0.0001	0.010	0.011
Well #6	28-Jul-16	0.0098	<0.001	0.0001	<0.005	0.141
Well #7	28-Jul-16	0.0090	<0.001	0.0003	<0.005	0.112
Well #6	30-Aug-16	0.0097	<0.001	<0.0001	<0.005	0.138
Well #7	30-Aug-16	0.0091	<0.001	0.0002	<0.005	0.11
Well #6	27-Sep-16	0.0099	<0.0005	0.000096	0.004	0.144
Well #7	27-Sep-16	0.0091	<0.0005	0.000192	0.006	0.115
Mann Park Station	11-Oct-16	0.0065	0.0081	0.000229	<0.004	0.010
Everall Station	11-Oct-16	0.0065	0.0010	0.000078	<0.004	0.023
Russell Station	11-Oct-16	0.0064	0.0010	0.000175	<0.004	0.013
13600 Blk. Marine Station	11-Oct-16	0.0064	0.0071	0.000315	<0.004	0.006
Malabar Station	11-Oct-16	0.0065	0.0034	0.000312	<0.004	0.01
1400 Blk Bishop Road	1-Nov-16	0.0064	0.0291	0.00166	0.010	0.025
1400 Blk Blackwood Street	2-Nov-16	0.0066	0.110	0.000853	<0.004	0.021
1200 Blk Foster Street	10-Nov-16	0.0065	0.0215	0.000094	<0.004	0.015
Well #6	29-Nov-16	0.0100	Monthly Merklin Arsenic Sampling			
Well #7	29-Nov-16	0.0092				
800 Blk Stevens Street	9-Dec-16	0.0088	0.0051	0.000223	0.008	0.064
1000 Blk of Stayte Road	21-Dec-16	0.0094	0.0085	0.000132	0.007	0.122