

Distribution Metal Results 2019

Sample Location	Date Sampled	Arsenic mg/L	Copper mg/L	Lead mg/L	Iron mg/L	Manganese mg/L	Colour Units	Colour	pH
Everall Sample Station	29-Jan-19	0.0053	0.0009	0.00004	<0.004	0.059	<5		7.96
Malabar Sample Station	29-Jan-19	0.0052	0.0022	0.00021	0.005	0.056	<5		8.07
Chestnut Sample Station	29-Jan-19	0.0054	0.0009	0.00006	0.008	0.061	<5		8.11
Russell Avenue Sample Station	29-Jan-19	0.0052	0.0008	0.00007	<0.004	0.055	<5		8.11
Roper Reservoir	29-Jan-19	0.0069	0.0011	0.00003	<0.004	0.092	<5		8.17
Roper PRV	29-Jan-19	0.0079	0.0007	0.00004	<0.004	0.11	<5		8.08
Roper Ave Station	29-Jan-19	0.0082	0.0021	0.00021	<0.004	0.12	<5		8.17
Finlay Station	30-Jan-19	0.0061	0.0008	0.00005	0.006	0.087	<5		7.92
Stayte Road Station	30-Jan-19	0.0083	0.0029	0.00022	0.005	0.12	<5		8.11
Balsam & Marine Station	30-Jan-19	0.0078	0.0019	0.00011	0.006	0.11	<5		8.15
Oxford & Buena Vista Station	30-Jan-19	0.0055	0.0011	0.00004	<0.004	0.080	<5		8.10
Everall Sample Station	16-Apr-19	<0.0001	0.0011	0.00006	<0.004	<0.001	<5		7.81
Mann Park Station	16-Apr-19	0.0002	0.0030	0.00013	<0.004	0.007	<5		8.06
Marine Dr Station	16-Apr-19	0.0008	0.0037	0.00016	<0.004	0.017	<5		8.09
Russell Avenue Sample Station	16-Apr-19	<0.0001	0.0014	0.00012	<0.004	0.002	<5		8.13
Roper Reservoir	16-Apr-19	0.0007	0.0028	0.00009	<0.004	0.014	<5		8.13
Roper PRV	16-Apr-19	<0.0001	0.0005	0.00020	<0.004	0.003	<5		8.10
Stevens Station	16-Apr-19	<0.0001	0.0032	0.00017	<0.004	0.003	<5		8.12
Finlay Station	17-Apr-19	0.0001	0.0010	0.00004	<0.004	0.005	<5		7.83
Stayte Road Station	17-Apr-19	0.0001	0.0041	0.00036	0.004	0.008	<5		8.07
Balsam & Marine Station	17-Apr-19	0.0005	0.0015	0.00015	0.014	0.014	<5		7.86
Oxford & Buena Vista Station	17-Apr-19	0.0004	0.0145	0.00046	<0.004	0.009	<5		8.07
Merklin Low Reservoir	17-Apr-19	<0.0001	0.0385	0.00019	<0.004	0.004	<5		8.02
Merklin New Reservoir	17-Apr-19	<0.0001	<0.0005	0.00002	<0.004	0.001	<5		8.09
Oxford Reservoir	17-Apr-19	<0.0001	0.0154	0.00017	<0.004	<0.001	<5		8.12
Everall Sample Station	24-Apr-19	<0.0001	0.0012	0.00007	<0.004	<0.001	<5		7.92
Malabar Sample Station	24-Apr-19	0.0003	0.0034	0.00032	0.013	0.007	<5		8.02
Chestnut Sample Station	24-Apr-19	0.0005	0.0015	0.00007	0.008	0.012	<5		8.06
Russell Avenue Sample Station	24-Apr-19	<0.0001	0.0011	0.00009	<0.004	0.002	<5		8.08
Roper Reservoir	24-Apr-19	0.0004	0.0037	0.00009	<0.004	0.008	<5		8.10
Roper PRV	24-Apr-19	<0.0001	<0.0005	0.00020	<0.004	0.002	<5		8.09
Roper Ave Station	24-Apr-19	<0.0001	0.0046	0.00052	<0.004	0.005	<5		8.08
Finlay Station	24-Apr-19	<0.0001	0.0006	0.00002	<0.004	0.004	<5		8.10
Stayte Road Station	24-Apr-19	0.0001	0.0021	0.00023	<0.004	0.006	<5		8.11
Balsam & Marine Station	24-Apr-19	0.0004	0.0008	0.00010	0.005	0.010	<5		8.10
Oxford & Buena Vista Station	24-Apr-19	0.0002	0.0130	0.00038	<0.004	0.005	<5		8.11
Merklin Low Reservoir	24-Apr-19	0.0005	0.0274	0.00022	<0.004	0.029	<5		8.17
Merklin New Reservoir	24-Apr-19	<0.0001	<0.0005	<0.00001	<0.004	<0.001	<5		8.11
Oxford Reservoir	24-Apr-19	<0.0001	0.0140	0.00023	<0.004	<0.001	<5		7.98
Everall Sample Station	30-Apr-19	<0.0001	0.0011	0.00006	<0.004	<0.001	<5		7.76
Mann Park Station	30-Apr-19	0.0001	0.0029	0.00012	<0.004	0.005	<5		7.99
Marine Dr Station	30-Apr-19	0.0004	0.0033	0.00012	0.004	0.009	<5		7.97
Russell Avenue Sample Station	30-Apr-19	<0.0001	0.0013	0.00009	<0.004	0.001	<5		8.04
Roper Reservoir	30-Apr-19	0.0002	0.0018	0.00005	<0.004	0.004	<5		8.08
Roper PRV	30-Apr-19	<0.0001	0.0008	0.00029	<0.004	0.002	<5		8.10
Stevens Station	30-Apr-19	<0.0001	0.0036	0.00017	<0.004	0.002	<5		7.94
Merklin Low Reservoir	30-Apr-19	<0.0001	0.0594	0.00024	<0.004	<0.001	<5		8.07
Merklin New Reservoir	30-Apr-19	<0.0001	<0.0005	<0.00001	<0.004	<0.001	<5		8.09
Oxford Reservoir	30-Apr-19	<0.0001	0.0244	0.00028	0.004	<0.001	<5		8.10

Distribution Metal Results 2019

Sample Location	Date Sampled	Arsenic mg/L	Copper mg/L	Lead mg/L	Iron mg/L	Manganese mg/L	Colour Units	Colour Units	pH
Finlay Station	01-May-19	0.0001	0.0012	0.00005	<0.004	0.003	<5		7.87
Stayte Road Station	01-May-19	0.0001	0.0046	0.00043	<0.004	0.006	<5		8.00
Balsam & Marine Station	01-May-19	0.0003	0.0017	0.00019	0.011	0.006	<5		8.09
Oxford & Buena Vista Station	01-May-19	0.0002	0.0013	0.00008	<0.004	0.004	<5		8.15
Everall Sample Station	07-May-19	<0.0001	0.0014	0.00007	<0.004	<0.001	<5		7.92
Malabar Sample Station	07-May-19	0.0002	0.0039	0.00049	<0.004	0.007	<5		8.04
Chestnut Sample Station	07-May-19	0.0004	0.0017	0.00010	0.006	0.010	<5		7.94
Russell Avenue Sample Station	07-May-19	0.0002	0.0014	0.00012	<0.004	0.002	<5		8.03
Roper Reservoir	07-May-19	0.0002	0.0024	0.00007	<0.004	0.004	<5		8.08
Roper PRV	07-May-19	0.0002	0.0006	0.00021	<0.004	0.001	<5		8.07
Roper Ave Station	07-May-19	0.0002	0.0046	0.00056	<0.004	0.004	<5		7.91
Finlay Station	08-May-19	0.0002	0.0011	0.00004	<0.004	0.003	<5		7.86
Stayte Road Station	08-May-19	0.0002	0.0043	0.00046	<0.004	0.005	<5		8.07
Balsam & Marine Station	08-May-19	0.0003	0.0014	0.00016	0.004	0.005	<5		7.85
Oxford & Buena Vista Station	08-May-19	0.0002	0.0017	0.00009	<0.004	0.003	<5		8.04
Merklin Low Reservoir	08-May-19	0.0002	0.0632	0.00015	<0.004	<0.001	<5		7.97
Merklin New Reservoir	08-May-19	0.0002	<0.0005	<0.00001	<0.004	<0.001	<5		8.07
Oxford Reservoir	08-May-19	<0.0001	0.0125	0.00019	0.006	<0.001	<5		8.09
Everall Sample Station	14-May-19	0.0002	0.0008	0.00005	<0.004	<0.001	<5		8.05
Mann Park Station	14-May-19	0.0002	0.0019	0.00010	<0.004	0.003	<5		7.97
Marine Dr Station	14-May-19	0.0004	0.0030	0.00012	<0.004	0.009	<5		8.10
Russell Avenue Sample Station	14-May-19	0.0004	0.0012	0.00009	<0.004	0.002	<5		8.11
Roper Reservoir	14-May-19	0.0004	0.0016	0.00008	<0.004	0.004	<5		8.17
Roper PRV	14-May-19	0.0004	<0.0005	0.00012	<0.004	0.002	<5		8.14
Stevens Station	14-May-19	0.0004	0.0032	0.00018	<0.004	0.002	<5		8.11
Finlay Station	15-May-19	0.0005	0.0008	0.00005	<0.004	0.003	<5		7.72
Stayte Road Station	15-May-19	0.0005	0.0042	0.00044	<0.004	0.004	<5		8.03
Balsam & Marine Station	15-May-19	0.0005	0.0016	0.00018	<0.004	0.004	<5		8.10
Oxford & Buena Vista Station	15-May-19	0.0004	0.0148	0.00059	<0.004	0.003	<5		8.12
Merklin Low Reservoir	15-May-19	0.0006	0.0397	0.00008	<0.004	0.001	<5		7.86
Merklin New Reservoir	15-May-19	0.0005	<0.0005	<0.00001	<0.004	<0.001	<5		8.07
Oxford Reservoir	15-May-19	0.0004	0.0139	0.00023	<0.004	<0.001	<5		7.77
Everall Sample Station	21-May-19	0.0005	0.0014	0.00009	<0.004	0.002	<5		7.88
Malabar Sample Station	21-May-19	0.0006	0.0031	0.00031	<0.004	0.005	<5		8.02
Chestnut Sample Station	21-May-19	0.0008	0.0017	0.00010	0.005	0.009	<5		8.04
Russell Avenue Sample Station	21-May-19	0.0009	0.0015	0.00013	<0.004	0.008	<5		8.07
Roper Reservoir	21-May-19	0.0006	0.0022	0.00010	<0.004	0.005	<5		8.07
Roper PRV	21-May-19	0.0008	0.0005	0.00014	<0.004	0.008	<5		8.09
Roper Ave Station	21-May-19	0.0008	0.0033	0.00039	0.004	0.009	<5		8.10
Finlay Station	22-May-19	0.0007	0.0011	0.00004	<0.004	0.007	<5		7.93
Stayte Road Station	22-May-19	0.0008	0.0040	0.00045	<0.004	0.009	<5		8.06
Balsam & Marine Station	22-May-19	0.0007	0.0017	0.00021	<0.004	0.006	<5		8.09
Oxford & Buena Vista Station	22-May-19	0.0007	0.0010	0.00006	<0.004	0.006	<5		8.10
Merklin Low Reservoir	22-May-19	0.0008	0.0384	0.00009	<0.004	0.009	<5		8.10
Merklin New Reservoir	22-May-19	0.0008	<0.0005	<0.00001	<0.004	0.008	<5		8.12
Oxford Reservoir	22-May-19	0.0005	0.0147	0.00019	<0.004	0.004	<5		8.13
Everall Sample Station	27-May-19	0.0007	0.0015	0.00007	<0.004	<0.001	<5		7.93
Mann Park Station	27-May-19	0.0007	0.0034	0.00013	<0.004	0.004	<5		8.09
Marine Dr Station	27-May-19	0.0008	0.0053	0.00020	<0.004	0.008	<5		8.13
Russell Avenue Sample Station	27-May-19	0.0010	0.0014	0.00010	<0.004	0.002	<5		8.15
Roper Reservoir	27-May-19	0.0008	0.0021	0.00006	0.006	0.005	<5		8.17
Roper PRV	27-May-19	0.0009	0.0005	0.00014	<0.004	0.003	<5		8.18
Stevens Station	27-May-19	0.0009	0.0036	0.00019	<0.004	0.003	<5		7.98

Distribution Metal Results 2019

Sample Location	Date Sampled	Arsenic mg/L	Copper mg/L	Lead mg/L	Iron mg/L	Manganese mg/L	Colour Units	Colour	pH
Finlay Station	28-May-19	0.0010	0.0010	0.00005	<0.004	0.004	<5		7.88
Stayte Road Station	28-May-19	0.0010	0.0045	0.00045	<0.004	0.005	<5		8.04
Balsam & Marine Station	28-May-19	0.0009	0.0019	0.00020	0.005	0.005	<5		7.94
Oxford & Buena Vista Station	28-May-19	0.0009	0.0146	0.00064	<0.004	0.003	<5		8.06
Merklin Low Reservoir	28-May-19	0.0010	0.0396	0.00009	<0.004	0.002	<5		8.07
Merklin New Reservoir	28-May-19	0.0010	<0.0005	<0.00001	<0.004	0.002	<5		8.08
Oxford Reservoir	28-May-19	0.0006	0.0106	0.00010	<0.004	<0.001	<5		8.07
Everall Sample Station	03-Jun-19	0.0010	0.0014	0.00008	<0.004	0.001	<5		7.86
Malabar Sample Station	03-Jun-19	0.0010	0.0037	0.00032	<0.004	0.005	<5		8.01
Chestnut Sample Station	03-Jun-19	0.0010	0.0014	0.00008	0.005	0.009	<5		8.04
Russell Avenue Sample Station	03-Jun-19	0.0013	0.0015	0.00009	<0.004	0.002	<5		8.17
Roper Reservoir	03-Jun-19	0.0011	0.0015	0.00005	<0.004	0.004	<5		8.30
Roper PRV	03-Jun-19	0.0013	0.0008	0.00018	<0.004	0.001	<5		8.18
Roper Ave Station	03-Jun-19	0.0013	0.0047	0.00041	<0.004	0.004	<5		8.07
Finlay Station	04-Jun-19	0.0013	0.0011	0.00005	<0.004	0.002	<5		7.87
Stayte Road Station	04-Jun-19	0.0014	0.0048	0.00051	<0.004	0.004	<5		8.03
Balsam & Marine Station	04-Jun-19	0.0013	0.0017	0.00016	<0.004	0.004	<5		8.08
Oxford & Buena Vista Station	04-Jun-19	0.0012	0.0149	0.00057	<0.004	0.003	<5		8.09
Merklin Low Reservoir	04-Jun-19	0.0013	0.0521	0.00012	<0.004	0.003	<5		8.08
Merklin New Reservoir	04-Jun-19	0.0014	<0.0005	<0.00001	<0.004	0.001	<5		8.10
Oxford Reservoir	04-Jun-19	0.0010	0.0150	0.00018	<0.004	<0.001	<5		7.84
Everall Sample Station	10-Jun-19	0.0013	0.0016	0.00008	<0.004	0.003	<5		7.95
Mann Park Station	10-Jun-19	0.0013	0.0031	0.00014	<0.004	0.004	<5		8.00
Marine Dr Station	10-Jun-19	0.0014	0.0046	0.00020	<0.004	0.007	<5		8.11
Russell Avenue Sample Station	10-Jun-19	0.0018	0.0014	0.00010	<0.004	0.003	<5		8.14
Roper Reservoir	10-Jun-19	0.0014	0.0017	0.00005	<0.004	0.003	<5		8.18
Roper PRV	10-Jun-19	0.0018	0.0008	0.00017	<0.004	0.003	<5		8.16
Stevens Station	10-Jun-19	0.0018	0.0034	0.00018	<0.004	0.003	<5		8.17
Everall Sample Station	17-Jun-19	0.0023	0.0017	0.00008	<0.004	0.022	<5		7.85
Malabar Sample Station	17-Jun-19	0.0022	0.0030	0.00030	0.007	0.009	<5		8.08
Chestnut Sample Station	17-Jun-19	0.0023	0.0014	0.00009	0.010	0.011	<5		7.76
Russell Avenue Sample Station	17-Jun-19	0.0028	0.0013	0.00008	<0.004	0.022	<5		8.07
Roper Reservoir	17-Jun-19	0.0022	0.0019	0.00007	<0.004	0.012	<5		8.15
Roper PRV	17-Jun-19	0.0027	0.0009	0.00011	<0.004	0.020	<5		8.17
Roper Ave Station	17-Jun-19	0.0028	0.0040	0.00042	<0.004	0.012	<5		8.17
Finlay Station	18-Jun-19	0.0029	0.0009	0.00004	0.078	0.020	<5		8.01
Stayte Road Station	18-Jun-19	0.0029	0.0042	0.00047	<0.004	0.012	<5		8.07
Balsam & Marine Station	18-Jun-19	0.0026	0.0016	0.00013	<0.004	0.012	<5		8.09
Oxford & Buena Vista Station	18-Jun-19	0.0026	0.0134	0.00063	<0.004	0.011	<5		8.09
Merklin Low Reservoir	18-Jun-19	0.0030	0.0294	0.00008	<0.004	0.027	<5		8.12
Merklin New Reservoir	18-Jun-19	0.0030	<0.0005	<0.00001	<0.004	0.030	<5		8.16
Oxford Reservoir	18-Jun-19	0.0025	0.0147	0.00015	<0.004	0.025	<5		8.15
Everall Sample Station	24-Jun-19	0.0026	0.0013	0.00007	<0.004	0.031	<5		7.65
Mann Park Station	24-Jun-19	0.0025	0.0035	0.00014	0.006	0.017	<5		8.01
Marine Dr Station	24-Jun-19	0.0025	0.0047	0.00024	<0.004	0.011	<5		8.09
Russell Avenue Sample Station	24-Jun-19	0.0025	0.0014	0.00007	<0.004	0.018	<5		8.12
Roper Reservoir	24-Jun-19	0.0026	0.0018	0.00006	<0.004	0.020	<5		7.66
Roper PRV	24-Jun-19	0.0030	0.0010	0.00010	<0.004	0.028	<5		8.04
Stevens Station	24-Jun-19	0.0030	0.0036	0.00019	<0.004	0.023	<5		8.12

Distribution Metal Results 2019

Sample Location	Date Sampled	Arsenic mg/L	Copper mg/L	Lead mg/L	Iron mg/L	Manganese mg/L	Colour Units	Colour Units	pH
Finlay Station	25-Jun-19	0.0029	0.0009	0.00004	<0.004	0.014	<5		7.81
Stayte Road Station	25-Jun-19	0.0030	0.0039	0.00043	0.005	0.011	<5		8.05
Balsam & Marine Station	25-Jun-19	0.0027	0.0017	0.00012	<0.004	0.011	<5		8.09
Oxford & Buena Vista Station	25-Jun-19	0.0029	0.0129	0.00050	<0.004	0.013	<5		8.11
Merklin Low Reservoir	25-Jun-19	0.0028	0.0328	0.00005	<0.004	0.020	<5		8.11
Merklin New Reservoir	25-Jun-19	0.0029	<0.0005	<0.00001	<0.004	0.024	<5		8.12
Oxford Reservoir	25-Jun-19	0.0024	0.0180	0.00021	0.010	0.018	<5		8.11
Everall Sample Station	02-Jul-19	0.0026	0.0017	0.00008	<0.004	0.004	<5		7.76
Malabar Sample Station	02-Jul-19	0.0025	0.0029	0.00028	<0.004	0.002	<5		8.12
Chestnut Sample Station	02-Jul-19	0.0026	0.0013	0.00009	<0.004	0.006	<5		8.14
Russell Avenue Sample Station	02-Jul-19	0.0025	0.0013	0.00007	<0.004	0.003	<5		8.14
Roper Reservoir	02-Jul-19	0.0026	0.0016	0.00005	<0.004	0.009	<5		7.52
Roper PRV	02-Jul-19	0.0026	0.0006	0.00013	<0.004	0.002	<5		8.00
Roper Ave Station	02-Jul-19	0.0029	0.0031	0.00033	<0.004	0.005	<5		8.09
Finlay Station	03-Jul-19	0.0029	0.0010	0.00004	0.005	0.004	<5		7.74
Stayte Road Station	03-Jul-19	0.0030	0.0053	0.00064	<0.004	0.004	<5		8.00
Balsam & Marine Station	03-Jul-19	0.0028	0.0017	0.00017	<0.004	0.007	<5		8.04
Oxford & Buena Vista Station	03-Jul-19	0.0028	0.0020	0.00009	<0.004	0.004	<5		8.05
Merklin Low Reservoir	03-Jul-19	0.0029	0.0301	0.00006	<0.004	0.003	<5		8.06
Merklin New Reservoir	03-Jul-19	0.0029	<0.005	<0.00001	<0.004	0.003	<5		8.07
Oxford Reservoir	03-Jul-19	0.0028	0.0170	0.00014	0.005	0.002	<5		8.07
Everall Sample Station	06-Aug-19	0.0031	0.0019	0.00009	<0.004	<0.001	<5		7.74
Mann Park Station	06-Aug-19	0.0032	0.0026	0.00016	<0.004	0.002	<5		8.00
Marine Dr Station	06-Aug-19	0.0033	0.0047	0.00031	0.004	0.003	<5		8.06
Russell Avenue Sample Station	06-Aug-19	0.0032	0.0012	0.00007	<0.004	<0.001	<5		7.82
Roper Reservoir	06-Aug-19	0.0033	0.0017	0.00005	0.004	0.002	<5		8.05
Roper PRV	06-Aug-19	0.0033	0.0005	0.00015	<0.004	<0.001	<5		8.08
Stevens Station	06-Aug-19	0.0034	0.0031	0.00020	<0.004	<0.001	<5		8.11
Finlay Station	07-Aug-19	0.0034	0.0007	0.00004	<0.004	<0.001	<5		7.79
Stayte Road Station	07-Aug-19	0.0034	0.0044	0.00051	<0.004	0.002	<5		8.05
Balsam & Marine Station	07-Aug-19	0.0033	0.0014	0.00022	<0.004	0.002	<5		8.13
Oxford & Buena Vista Station	07-Aug-19	0.0034	0.0144	0.00048	<0.004	<0.001	<5		8.14
Merklin Low Reservoir	07-Aug-19	0.0037	0.0374	0.00008	<0.004	<0.001	<5		8.14
Merklin New Reservoir	07-Aug-19	0.0036	<0.0005	<0.00001	<0.004	<0.001	<5		8.13
Oxford Reservoir	07-Aug-19	0.0031	0.0164	0.00024	0.006	<0.001	<5		8.12
Everall Sample Station	03-Sep-19	0.0039	0.0012	0.00014	<0.004	0.001	<5		8.10
Mann Park Station	03-Sep-19	0.0060	<0.0005	<0.00001	<0.004	0.003	<5		8.11
Marine Dr Station	03-Sep-19	0.0037	0.0042	0.00025	<0.004	0.003	<5		8.12
Russell Avenue Sample Station	03-Sep-19	0.0037	0.0014	0.00009	<0.004	<0.001	<5		8.14
Roper Reservoir	03-Sep-19	0.0037	0.0022	0.00008	<0.004	0.002	<5		8.16
Roper PRV	03-Sep-19	0.0038	0.0009	0.00020	<0.004	<0.001	<5		8.16
Stevens Station	03-Sep-19	0.0039	0.0033	0.00020	<0.004	<0.001	<5		8.13
Finlay Station	04-Sep-19	0.0037	0.0024	0.00005	<0.004	0.001	<5		7.70
Stayte Road Station	04-Sep-19	0.0039	0.0040	0.00047	0.004	0.016	<5		8.02
Balsam & Marine Station	04-Sep-19	0.0037	0.0015	0.00022	<0.004	0.002	<5		8.10
Oxford & Buena Vista Station	04-Sep-19	0.0037	0.0156	0.00051	<0.004	0.001	<5		7.82
Merklin Low Reservoir	04-Sep-19	0.0040	0.0385	0.00008	<0.004	<0.001	<5		8.03
Merklin New Reservoir	04-Sep-19	0.0039	<0.0005	<0.00001	<0.004	<0.001	<5		8.08
Oxford Reservoir	04-Sep-19	0.0036	0.0122	0.00013	0.006	<0.001	<5		8.12
Everall Sample Station	01-Oct-19	0.0040	0.0011	0.00011	<0.004	0.002	<5		7.69
Mann Park Station	01-Oct-19	0.0040	0.0026	0.00017	0.006	0.004	<5		7.96
Marine Dr Station	01-Oct-19	0.0039	0.0046	0.00026	<0.004	0.002	<5		8.01
Russell Avenue Sample Station	01-Oct-19	0.0043	0.0009	0.00012	<0.004	0.002	<5		8.09
Roper Reservoir	01-Oct-19	0.0041	0.0029	0.00013	<0.004	0.002	<5		8.10

Distribution Metal Results 2019

Sample Location	Date Sampled	Arsenic mg/L	Copper mg/L	Lead mg/L	Iron mg/L	Manganese mg/L	Colour Units	Colour Units	pH
Roper PRV	01-Oct-19	0.0041	0.0005	0.00020	<0.004	<0.001	<5		8.12
Stevens Station	01-Oct-19	0.0042	0.0029	0.00019	<0.004	<0.001	<5		8.13
Finlay Station	02-Oct-19	0.0042	0.0020	<0.0001	<0.01	<0.005	<5		7.67
Stayte Road Station	02-Oct-19	0.0043	0.0050	0.00050	<0.01	<0.005	<5		7.89
Balsam & Marine Station	02-Oct-19	0.0041	0.0010	0.00020	<0.01	<0.005	<5		7.92
Oxford & Buena Vista Station	02-Oct-19	0.0041	0.0140	0.00040	<0.01	<0.005	<5		7.96
Merklin Low Reservoir	02-Oct-19	0.0044	0.0490	<0.0001	<0.01	<0.005	<5		7.96
Merklin New Reservoir	02-Oct-19	0.0045	<0.001	<0.0001	<0.01	<0.005	<5		8.00
Oxford Reservoir	02-Oct-19	0.0041	0.0130	0.00010	<0.01	<0.005	<5		8.00
Everall Sample Station	25-Nov-19	0.0035	0.0012	0.00007	<0.004	<0.001	<5		8.01
Mann Park Station	25-Nov-19	0.0035	0.0031	0.00010	<0.004	0.001	<5		8.12
Marine Dr Station	25-Nov-19	0.0036	0.0038	0.00013	<0.004	0.002	<5		8.14
Russell Avenue Sample Station	25-Nov-19	0.0036	0.0010	0.00009	<0.004	<0.001	<5		8.15
Roper Reservoir*	25-Nov-19	N/A	N/A	N/A	N/A	N/A	N/A		N/A
Roper PRV	25-Nov-19	0.0037	0.0014	0.00006	<0.004	<0.001	<5		8.15
Stevens Station	25-Nov-19	0.0037	0.0031	0.00014	<0.004	<0.001	<5		8.16
Finlay Station	26-Nov-19	0.0036	0.0012	0.00005	0.004	<0.001	<5		7.98
Stayte Road Station	26-Nov-19	0.0035	0.0036	0.00026	<0.004	0.001	<5		8.10
Balsam & Marine Station	26-Nov-19	0.0035	0.0018	0.00014	0.067	0.007	<5		8.10
Oxford & Buena Vista Station	26-Nov-19	0.0035	0.0129	0.00035	<0.004	<0.001	<5		8.14
Merklin Low Reservoir	26-Nov-19	0.0036	0.0371	0.00005	0.005	<0.001	<5		8.11
Merklin New Reservoir	26-Nov-19	0.0036	<0.0005	<0.00001	<0.004	<0.001	<5		8.14
Oxford Reservoir	26-Nov-19	0.0034	0.0165	0.00014	0.006	<0.001	<5		8.13
Everall Sample Station	23-Dec-19	0.0037	0.0017	0.00008	0.005	<0.001	<5		8.09
Mann Park Station	23-Dec-19	0.0038	0.0037	0.00015	<0.004	0.003	<5		8.10
Marine Dr Station	23-Dec-19	0.0035	0.0046	0.00016	0.005	0.005	<5		8.11
Russell Avenue Sample Station	23-Dec-19	0.0040	0.0017	0.00009	<0.004	<0.001	<5		8.10
Roper Reservoir*	23-Dec-19	N/A	N/A	N/A	N/A	N/A	N/A		N/A
Roper PRV	23-Dec-19	0.0040	0.0009	0.00007	<0.004	0.001	<5		8.13
Stevens Station	23-Dec-19	0.0040	0.0032	0.00013	<0.004	<0.001	<5		8.13
Finlay Station	23-Dec-19	0.0039	0.0006	0.00003	<0.004	<0.001	<5		8.13
Stayte Road Station	23-Dec-19	0.0039	0.0061	0.00047	0.011	<0.001	<5		8.12
Balsam & Marine Station	23-Dec-19	0.0038	0.0027	0.00013	<0.004	0.001	<5		8.13
Oxford & Buena Vista Station	23-Dec-19	0.0039	0.0140	0.00028	0.059	0.002	<5		8.11
Merklin Low Reservoir	23-Dec-19	0.0041	0.0323	0.00005	<0.004	<0.001	<5		8.11
Merklin New Reservoir	23-Dec-19	0.0040	<0.0005	<0.00001	<0.004	<0.001	<5		8.13
Oxford Reservoir	23-Dec-19	0.0038	0.0087	0.00008	0.008	<0.001	<5		8.15
Nominal Detection Limit		0.0001	0.0005	0.00001	0.004	0.001	5		0.01
Guideline Limit		0.010	1.0	0.005	0.3	0.05			7.0-10.5

*Out of service for reservoir improvement