

## East Side Large Lot Infill

### Development Permit Area Guidelines

The objectives of the **East Side Large Lot Infill Development Permit Area** are to:

- Reinforce the East Side Large Lot Infill as the cultural, commercial, and civic heart of White Rock
- Establish an attractive, comfortable, well-connected, pedestrian-oriented environment that fosters vibrant public life
- Ensure the compatibility of new development with adjacent existing buildings
- Enhance quality of life
- Conserve energy, conserve water, and reduce GHGs
- Enhance the character of the built environment and public realm in the City of White Rock

**Please provide a summary of how your proposal achieves the objectives and policies of the East Side Large Lot Infill DPA below:**

NOTE 1: All 'Applicant Response' sections must be filled out by the applicant.  
NOTE 2: If your proposal cannot adequately address one of the below-listed DPA guidelines, provide a rationale (and alternative resolution) above, and in the applicable response section.

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**Section 22.8.1 - Buildings**

**East Side Large Lot Infill DPA Guideline 22.8.1 (a)**

Ensure buildings are compatible with or complementary to adjacent developments in terms of height, density, and design. New apartment and townhouse developments adjacent to Mature Neighbourhoods shall transition to compliment the height and scale of single family homes and create a streetscape that is reflective of a single family area.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (b)**

Set buildings back from the property line at least 2-3 metres to provide enough space for gardens and shade trees in the front yard. Townhouse developments are encouraged to provide for individuality from site to site and unit to unit, and to vary the front setback between units.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (c)**

Create visual interest along all elevations with architectural details. Incorporate windows, doors, bay windows, porches, setbacks, and vary colours, massing, and materials. Non-street facing elevations shall be treated with the same architectural details as the street facing elevations.

Open verandas and peaked roofs are encouraged for townhouses and small-lot single family development. ‘Mirror-image’ designs for adjacent single family dwellings will not be permitted.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (d)**

Ensure main entrances of residential and mixed-use buildings are level with the sidewalk. Entrances shall be clearly identifiable, and weather protection with overhangs and awnings shall be provided over all entrances and along all commercial frontages. Residential units on the ground floor should be ground-oriented with entrances directly off of the street.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (e)**

Address all street edges on properties fronting multiple streets or public walkways.  
Orient buildings toward intersections or design independent frontages along both intersecting streets, and incorporate windows, doorways, landscaping, and architectural detailing along all street frontages and walkways.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (f)**

Provide articulation to break up building mass and to establish a rhythm along the street front in commercial areas. Ground-level commercial spaces should reflect traditional patterns of diverse, small-scale retail with storefronts of approximately ten metres wide. Include no more than six contiguous units fronting a given street without incorporating architectural elements.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (g)**

Maximize transparency in commercial areas through extensive use of glazing at grade level, and consider use of mullions and frames to create character and visual interest. Reflective glass or other similar material on the ground floor façade of any building facing a street will not be accepted.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (h)**

Provide common outdoor amenity spaces for residents in mixed-use and multi-unit residential buildings. Shared roof decks with views to the waterfront and other amenities are encouraged where appropriate. Incorporate dining and seating areas with outdoor cooking facilities, play areas for children, areas for air-drying laundry, communal vegetable gardens, and appropriate landscaping. Provide each apartment unit with a private outdoor space where possible. Incorporating green-roofs to manage stormwater, reduce urban heat island effect, and contribute to biodiversity is encouraged.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (i)**

Follow passive solar design principles and orient and site buildings to maximize views to the waterfront. Design roofs to maximize opportunities for solar collection in winter and control solar gain on south-facing facades by blocking high-angle sun in summer. Alternatively, provide operable shading devices or window overhangs to control summer solar gain. Maximize passive ventilation and passive cooling through building orientation.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (j)**

Incorporate west coast design elements with the use of natural materials, including brick, stone, concrete, exposed heavy timber, and/or steel. Vinyl siding and stucco will not be considered for cladding. Use rich natural tones which reflect the natural landscape and seascape as the dominant colours, with brighter colours used only as accents.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (k)**

Integrate commercial signage with the building and/or landscaping. Signage shall have a pedestrian scale and be coordinated throughout each development and compatible with signage on adjacent properties to establish a unified and attractive commercial area. The use of natural materials and projecting signs is encouraged.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.1 (l)**

Limit blocks of side-by-side townhouses to a maximum of eight contiguous units. Lot consolidation to allow for street-fronting townhouse developments are encouraged.

**Applicant Response**

**Section 22.8.2 – Public Realm and Landscape**

**East Side Large Lot Infill DPA Guideline 22.8.2 (a)**

Improve the public realm with widened sidewalks (minimum 1.8 metres). Plant street trees and design curb let-downs to accommodate wheelchairs and scooters.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.2 (b)**

Site buildings to create through-block walking connections where appropriate. These will create opportunities for a variety of pedestrian-oriented activities and a finer-grained street grid

**Applicant Response**



**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.2 (c)**

Use light coloured reflective paving materials such as white asphalt or concrete for paths, driveways, and parking areas to reduce heat absorption and urban heat island effect. Ensure all areas not covered by buildings, structures, roads, and parking areas are landscaped. Use landscaping to establish transitions from public, to semi-public, to private areas.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.2 (d)**

Ensure all trees are planted with sufficient soil volume, using soil cells where appropriate, and incorporate diverse native shrub layers below trees to intercept stormwater. Projects should be designed to allow for the retention of large, mature, healthy trees, and landscape design should employ CPTED principles.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.2 (e)**

Select trees that will maximize passive solar gain, natural ventilation, and natural cooling, and increase the entry of natural light into buildings. Maximize the use of drought tolerant species that can withstand the seaside setting and require minimal irrigation. Avoid planting invasive species. The planting of hedges directly adjacent to sidewalks is discouraged, unless they are screening a garbage/recycling area.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.2 (f)**

Incorporate Low Impact Development Techniques for stormwater management, where appropriate and in accordance with the City’s Integrated Storm Water Management Plan (ISWMP). This includes but is not limited to bio-swales, cisterns, and permeable paving. Narrower lanes/access roads and the use of porous asphalt are encouraged.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.1 (g)**

Provide sufficient on-site illumination for pedestrian/vehicle safety and good exposure for retail uses. Light facades and highlight building entrances, and avoid “light spill” onto adjacent properties. The use of lighting systems that are powered by renewable energy, such as solar-power, are encouraged.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.2 (h)**

Increase the quantity, density, and diversity of trees planted in the East Side Large Lot Infill, with both deciduous and coniferous tree species.

Ensure that all trees are planted with sufficient soil volume, using soil cells where appropriate, and incorporate diverse native shrub layers below trees to intercept stormwater. Landscape design should employ CPTED safety principles.

**Applicant Response**

**Section 22.8.3 – Parking and Functional Elements**

**East Side Large Lot Infill DPA Guideline 22.8.3 (a)**

Locate parkade entrances at the rear or side of buildings where possible and separate from pedestrian entrances. Vehicular access from North Bluff Road will only be considered when alternative access is not available. If a parkade entrance faces a street, it shall be subordinate to the pedestrian entrance in terms of size, prominence on the streetscape, location, and design emphasis. The use of landscaping to screen and soften the appearance of the parkade entrance is encouraged. Access ramps must be designed with appropriate sight lines and incorporate security features.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.3 (b)**

Use a single internal vehicular access for townhouse developments where possible, with a shared parkade or individual garages. Provide landscaped areas between garages in townhouse developments that have multiple direct vehicular accesses from the street.

**Applicant Response**

**East Side Large Lot Infill**

**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.3 (c)**

Provide all off-street parking below grade or enclosed within a building, with the exception of some visitor parking spaces and short-term commercial parking spaces. Bicycle and scooter parking shall be provided for residents within parkades, with temporary bicycle parking available near building entrances. Ensure buildings are accessible from parkades for those with mobility impairments.

**Applicant Response**

**East Side Large Lot Infill DPA Guideline 22.8.3 (d)**

Provide sufficient space for garbage, recycling, and composting within parkades. These areas are to be located so that they are convenient for users and accessible for waste/recycling/ compost collection and removal. Loading areas must also be incorporated within buildings wherever possible.

**Applicant Response**

City of White Rock – Planning & Development Services  
**East Side Large Lot Infill**  
**Development Permit Area Guidelines**



**East Side Large Lot Infill DPA Guideline 22.8.3 (e)**

Locate mechanical equipment to minimize exposure to the street and nearby buildings. Screening of rooftop mechanical equipment must be integrated into the overall architectural form of the building, and be designed to dampen noise where required.

**Applicant  
Response**

<b>Applicant Response</b>	
-------------------------------	--